



R41C SERIES - WIRE GAUGE SIZE (CONT.)

Model No.	Wire Gauge Size	Decimal Size"	L2"	L1"	Price /Each
TCP348	30	0.1285	15/16	1-15/16	
TCP349	29	0.136	15/16	1-15/16	
TCP350	28	0.1405	15/16	1-15/16	
TCP351	27	0.144	1	2-1/16	
TCP352	26	0.147	1	2-1/16	
TCP353	25	0.1495	1	2-1/16	
TCP354	24	0.152	1	2-1/16	
TCP355	23	0.154	1	2-1/16	
TCP356	22	0.157	1-1/16	2-1/8	
TCP357	21	0.159	1-1/16	2-1/8	
TCP358	20	0.161	1-1/16	2-1/8	
TCP359	19	0.166	1-1/16	2-1/8	
TCP360	18	0.1695	1-1/16	2-1/8	
TCP361	17	0.173	1-1/8	2-3/16	
TCP362	16	0.177	1-1/8	2-3/16	

Model No.	Wire Gauge Size	Decimal Size"	L2"	L1"	Price /Each
TCP363	15	0.18	1-1/8	2-3/16	
TCP364	14	0.182	1-1/8	2-3/16	
TCP365	13	0.185	1-1/8	2-3/16	
TCP366	12	0.189	1-3/16	2-1/4	
TCP367	11	0.191	1-3/16	2-1/4	
TCP368	10	0.1935	1-3/16	2-1/4	
TCP369	9	0.196	1-3/16	2-1/4	
TCP370	8	0.199	1-3/16	2-1/4	
TCP371	7	0.201	1-3/16	2-1/4	
TCP372	6	0.204	1-1/4	2-3/8	
TCP373	5	0.2055	1-1/4	2-3/8	
TCP374	4	0.209	1-1/4	2-3/8	
TCP375	3	0.213	1-1/4	2-3/8	
TCP376	2	0.221	1-5/16	2-7/16	
TCP377	1	0.228	1-5/16	2-7/16	

R42C SERIES - LETTER SIZE


Model No.	Letter Size	Decimal Size"	L2"	L1"	Price /Each
TCP378	A	0.234	1-5/16	2-7/16	
TCP379	B	0.2374	1-3/8	2-1/2	
TCP380	C	0.2421	1-3/8	2-1/2	
TCP381	D	0.2461	1-3/8	2-1/2	
TCP382	E	0.25	1-3/8	2-1/2	
TCP383	F	0.2571	1-7/16	2-5/8	
TCP384	G	0.261	1-7/16	2-5/8	
TCP385	H	0.2661	1-1/2	2-11/16	
TCP386	I	0.272	1-1/2	2-11/16	
TCP387	J	0.2772	1-1/2	2-11/16	
TCP388	K	0.2811	1-1/2	2-11/16	
TCP389	L	0.2992	1-9/16	2-3/4	
TCP390	M	0.2949	1-9/16	2-3/4	

Model No.	Letter Size	Decimal Size"	L2"	L1"	Price /Each
TCP391	N	0.302	1-5/8	2-13/16	
TCP392	O	0.3161	1-11/16	2-15/16	
TCP393	P	0.3228	1-11/16	2-15/16	
TCP394	Q	0.3319	1-11/16	3	
TCP395	R	0.339	1-11/16	3	
TCP396	S	0.348	1-3/4	3-1/16	
TCP397	T	0.358	1-3/4	3-1/16	
TCP398	U	0.368	1-13/16	3-1/8	
TCP399	V	0.3772	1-7/8	3-1/4	
TCP400	W	0.3858	1-7/8	3-1/4	
TCP401	X	0.3969	1-15/16	3-5/16	
TCP402	Y	0.4039	1-15/16	3-5/16	
TCP403	Z	0.413	2	3-3/8	

Silver & Deming Drills 118°

R56 SERIES

- Steam oxide finish for increased wear resistance and lubricity
- Material: High Speed Steel
- Point Angle: 118°
- Manufacturing Standards: ANSI
- Shank Size: 1/2"
- Cutting Direction: Right Hand



Model No.	Fractional Size"	Decimal Size"	L2"	L1"	Price /Each
TCQ496	33/64	0.5156	3	6	
TCQ497	17/32	0.5313	3	6	
TCQ498	35/64	0.5469	3	6	
TCQ499	9/16	0.5625	3	6	
TCQ500	37/64	0.5781	3	6	
TCQ501	19/32	0.5937	3	6	
TCQ502	5/8	0.625	3	6	
TCQ503	41/64	0.6406	3	6	
TCQ504	21/32	0.6563	3	6	
TCQ505	43/64	0.6719	3	6	
TCQ506	11/16	0.6875	3	6	
TCQ507	45/64	0.7031	3	6	
TCQ508	23/32	0.7188	3	6	
TCQ509	47/64	0.7344	3	6	
TCQ510	3/4	0.75	3	6	
TCQ511	49/64	0.7656	3	6	
TCQ512	25/32	0.7813	3	6	
TCQ513	51/64	0.7969	3	6	
TCQ514	13/16	0.8125	3	6	
TCQ515	53/64	0.8281	3	6	
TCQ516	27/32	0.8438	3	6	
TCQ517	55/64	0.8594	3	6	
TCQ518	7/8	0.875	3	6	
TCQ519	57/64	0.8906	3	6	
TCQ520	29/32	0.9063	3	6	
TCQ521	59/64	0.9219	3	6	
TCQ522	15/16	0.9375	3	6	
TCQ523	61/64	0.9531	3	6	

Model No.	Fractional Size"	Decimal Size"	L2"	L1"	Price /Each
TCQ524	31/32	0.9688	3	6	
TCQ525	63/64	0.9844	3	6	
TCQ526	1	1	3	6	
TCQ527	1-1/64	1.0156	3	6	
TCQ528	1-1/32	1.0312	3	6	
TCQ529	1-3/64	1.0469	3	6	
TCQ530	1-1/16	1.0625	3	6	
TCQ531	1-5/64	1.0781	3	6	
TCQ532	1-3/32	1.0937	3	6	
TCQ533	1-7/64	1.1094	3	6	
TCQ534	1-1/8	1.125	3	6	
TCQ535	1-9/64	1.1406	3	6	
TCQ536	1-5/32	1.1563	3	6	
TCQ537	1-11/64	1.1719	3	6	
TCQ538	1-3/16	1.1875	3	6	
TCQ539	1-13/64	1.2031	3	6	
TCQ540	1-7/32	1.2187	3	6	
TCQ541	1-15/64	1.2344	3	6	
TCQ542	1-1/4	1.25	3	6	
TCQ543	1-9/32	1.2813	3	6	
TCQ544	1-5/16	1.3125	3	6	
TCQ545	1-11/32	1.3437	3	6	
TCQ546	1-3/8	1.375	3	6	
TCQ547	1-13/32	1.4063	3	6	
TCQ548	1-7/16	1.4375	3	6	
TCQ549	1-15/32	1.4687	3	6	
TCQ550	1-1/2	1.5	3	6	