



Sandblast Media Abrasives

- All abrasives are sold in 50-lb. bags
- Other grades of abrasives also available
- Steel grit and steel bead also available



GLASS BEADS

A popular media used primarily for dimensionally sensitive applications where tolerance and finish are your main concerns. Perfect for re-moving medium to light contamination without causing dimensional change, over stressing, imbedding or pitting. Used widely by automotive rebuilders, die and mold makers in the plating and aerospace industries.

Model No.	US Screen	Application	Price/Each
TG392	20-30	Coarse	
TG393	30-40	Coarse	
TG394	40-60	Coarse	
TG398	40-70	Med. Coarse	
TG399	50-80	Medium	
TG400	60-120	Med. Fine	
TG401	80-120	Fine	
TG402	100-170	Fine	
TG403	120-270	Fine	
BZ738	170-325	Fine	

ALUMINUM OXIDE

Highly aggressive abrasive. Ideal for applications where tough contamination is encountered and surface removal of 0.0005" to 0.08" is acceptable. Resulting finish is ideal for painting, plating and coating. Grit sizes range from #16 (coarse) to #220 (fine).

Model No.	Grit	Application	Price/Each
TG404	16	Coarse	
NP845	20	Coarse	
BZ740	30	Coarse	
BZ739	36	Coarse	
TG406	46	Med. Coarse	
BZ741	54	Med. Coarse	
TG407	60	Med. Coarse	
TG408	70	Medium	
TG409	80	Medium	
TG410	100	Med. Fine	
NP847	120	Med. Fine	
TG411	150	Med. Fine	
TG412	180	Fine	
TG413	220	Fine	

JETMAG (SYNTHETIC OLIVINE PYROXENE SAND)

The only true substitute to sand (silica), JetMag offers excellent sanding quality and its cost/performance ratio is highly competitive. It allows faster cleaning and reduces consumption, therefore it offers greater productivity in enclosed work places. Because of its chemical and mineral composition, JetMag is a non-toxic material and environment friendly. Less than 1% free silica.

Model No.	Description	Application	Price/Each
NP848	16-60	16 Mesh	
NP849	30-60	24 Mesh	
NP850	35-70	40 Mesh	

Pressure Abrasive Sandblasters

- Heavy-duty all steel construction
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8' abrasive feed hose
- Durable wheels and handle allow for easy mobility and flexible operation
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5 mm), water separator filter, protective blast hood and teflon tape
- 5 HP air compressor is recommended for optimal performance



Model No.	Mfg. No.	Tank Cap. gal.	Operating Pressure Range PSI	Required Compressor Output CFM	Max. Amount of Abrasive lbs.	Dimensions L" x W" x H"	Weight lbs.	Price /Each
TMA003	KSB-10	10	65-120	6-25	40	14 x 17 x 33 1/4	48	
TMA004	KSB-20	20	65-120	6-25	80	15 3/4 x 20 x 35	56	

Sandblast Cabinets

- Filtered fluorescent light
- Gun comes with different sized nozzles for different usage
- 2 rubber gauntlet gloves mounted in front



BC894

Model No.	BC894
Mfg. No.	KSB-350
Fluorescent light	110 V
Maximum operating pressure	116 PSI
Required compressor output	15-25 CFM/PFM @ 40-80 PSI
Max. amount of abrasives	35 lbs.
Cabinet dimensions	37" x 26 3/4" x 17 1/2" - 25 1/2"
Dimensions (L x W x H)	37" x 26 3/4" x 59"
Weight	176 lbs.
Price/Each	\$

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
TEX180	KM-035	Replacement sandblast gun	
TJZ760	KM-036	Replacement ceramic nozzle (4/Pkg.)	
EA565	KM-098	Adhesive window protector for BC894 (5-pc. Kit)	